















SLICER SELECTION GUIDE



BASE FEATURES

	HOBART								centerline <small>by HOBART</small>				
													
MODEL	HS9	HS9N	HS8	HS8N	HS7	HS7N	HS6	HS6N	EDGE10	EDGE12	EDGE13	EDGE14	EDGE13A
USAGE	Continuous Use	Continuous Use	Continuous Use	Continuous Use	Continuous Use	Continuous Use	Continuous Use	Continuous Use	1 Hour or Less per Day	4 Hours or Less per Day	4 Hours or Less per Day	4 Hours or Less per Day	4 Hours or Less per Day
BLADE SIZE	13" Cobalt	13" Cobalt	13" Cobalt	13" Cobalt	13" Cobalt	13" Cobalt	13" Cobalt	13" Cobalt	10" Carbon Steel	12" Carbon Steel	13" Carbon Steel	14" Carbon Steel	13" Carbon Steel
MOTOR	1/2 HP	1/2 HP	1/2 HP	1/2 HP	1/2 HP	1/2 HP	1/2 HP	1/2 HP	1/3 HP	1/2 HP	1/2 HP	1/2 HP	1/2 HP
BASE CONSTRUCTION	Anodized Aluminum	Anodized Aluminum	Anodized Aluminum	Anodized Aluminum	Polished Aluminum	Polished Aluminum	Polished Aluminum	Polished Aluminum	Anodized Aluminum	Anodized Aluminum	Anodized Aluminum	Anodized Aluminum	Anodized Aluminum
REMOVABLE BLADE	✓		✓		✓		✓						
AUTOMATIC SLICING	✓	✓			✓	✓							✓
MANUAL SLICING	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
SLICE THICKNESS	1"	1"	1"	1"	1"	1"	1"	1"	9/16"	9/16"	9/16"	9/16"	9/16"
CUTTING CAPACITY (Width / Diameter)	10.75" / 7.5"	10.75" / 7.5"	10.75" / 7.5"	10.75" / 7.5"	10.75" / 7.5"	10.75" / 7.5"	10.75" / 7.5"	10.75" / 7.5"	8" / 7"	10" / 8"	9.5" / 8"	11" / 8.5"	9.5" / 8"

ADVANCED FEATURES









MODEL	HS9	HS9N	HS8	HS8N	HS7	HS7N	HS6	HS6N	EDGE10	EDGE12	EDGE13	EDGE14	EDGE13A
NO VOLT RELEASE	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓
HOME TO START	✓	✓	✓	✓	✓	✓							
CLOSE TO STOP	✓	✓	✓	✓									
AUTO SHUT OFF (30 seconds)	✓	✓	✓	✓									
GAUGE PLATE INTERLOCK	✓	✓	✓	✓						✓	✓	✓	✓

All of our slicers are designed to handle meats, cheeses and vegetables.



SLICER SELECTION GUIDE

BASE FEATURES

							
							
MODEL	X13-PLUS	X13A-PLUS	B14SLC	B12A-SLC	B12-SLC	B10-SLC	B9-SLC
USAGE	4 Hours or Less per Day	4 Hours or Less per Day	4 Hours or Less per Day	4 Hours or Less per Day	4 Hours or Less per Day	1 Hour or Less per Day	1 Hour or Less per Day
BLADE SIZE	13" Stainless Steel	13" Stainless Steel	14" Carbon Steel	12" Carbon Steel	12" Carbon Steel	10" Carbon Steel	9" Carbon Steel
MOTOR	1/2 HP	1/2 HP	1/2 HP	1/2 HP	1/2 HP	1/4 HP	1/4 HP
BASE CONSTRUCTION	Anodized Aluminum	Anodized Aluminum	Anodized Aluminum	Anodized Aluminum	Anodized Aluminum	Anodized Aluminum	Anodized Aluminum
REMOVABLE BLADE							
AUTOMATIC SLICING		✓		✓			
MANUAL SLICING	✓	✓	✓	✓	✓	✓	✓
SLICE THICKNESS	1-1/3"	1-1/3"	5/8"	9/16"	9/16"	9/16"	9/16"
CUTTING CAPACITY (Width / Diameter)	10.5" / 8"	10.5" / 8"	11" / 8.5"	10.75" / 7.375"	10.75" / 7.375"	8.5" / 6.875"	7.5" / 6"

ADVANCED FEATURES

MODEL	X13-PLUS	X13A-PLUS	B14SLC	B12A-SLC	B12-SLC	B10-SLC	B9-SLC
NO VOLT RELEASE	✓	✓	✓	✓	✓		
HOME TO START							
CLOSE TO STOP							
AUTO SHUT OFF (30 seconds)							
GAUGE PLATE INTERLOCK	✓	✓		✓			

All of our slicers are designed to handle meats, cheeses and vegetables.