

CONTENTS

VULC4N

RESTAURANT RANGES
Endurance™ Gas Restaurant Range4
VSP Stock Pot Range4
Achiever VHP Hot Plate4
BROILERS
Range Match Salamander Broiler6
Gas Infrared Cheesemelter6
OVENS
VC4 Gas Convection Oven8
VC5 Gas Convection Oven8
GRIDDLES AND CHARBROILERS
Achiever VACB Charbroiler10
Counter Restaurant Series
Charbroiler10
Hot Plate10
Manual Control Griddle11
Snap Action Thermostatic Griddle11
MSA Gas Griddle11
STEAM
Boilerless/Connectionless Counter Steamer12
EO Boilerless Steamer with Auto-Fill12
Electric Counter À La Carte Steamer13
Electric Counter À La Carte Steamer (LWE)13
Electric Counter À La Carte Steamer (PS)15
Counter Steam Jacketed Kettle
ScaleBlocker® Water Filtration System15

FRYERS

LG Gas Fryer	16
VEG Gas Fryer	16
GR Gas Fryer	18
Powerfry3 [™] 1TR45A Solid State Analog Fryer	18
Frymate™ VX15 Dump Station	19
MF-1 Mobile Filter	19
HEATED HOLDING	
Non-Insulated Proofing & Heating Holding Cabir	net20
Non-Insulated Holding Cabinet	20
Fully Insulated Institutional Holding Cabinet	21
VRH Cook & Hold Oven	21
Drawer Warmer	23

Chip Warmer.....23

CONTENTS



RESTAURANT RANGES & BROILERSChallenger XL™ Gas Restaurant Range24

WSPR Stock Pot Range24
Range Match Salamander Broiler24

GRIDDLES AND CHARBROILERS

Heavy Duty Manual Griddle	25
Achiever ACB Charbroiler	25



SLICERS

Economy Slicer	26
Mid-Tier Slicer	26
Premier Slicer	27
Bread Slicer	27
Flywheel Prosciutto Slicer	28

FOOD PROCESSOR

VACUUM PACKAGING

Vacuum Packaging Machine	29
Warranty	30

RESTAURANT RANGES



ENDURANCE™ GAS RESTAURANT RANGE

- Durable, MIG welded construction
- Flashtube pilot system can save up to \$300 per year in gas consumption
- Versatile 30,000 BTU/hr. burner delivers rapid boil times, even sauté and superior turndown
- Best repeatable oven bake in the industry with two oven racks standard



VSP STOCK POT RANGE

- Two 55,000 BTU/hr. ring-type burners in each section—110,000 BTU/hr. input per section
- Standing pilot ignition with two infinite control manual gas valves for each section
- Heat shield protects gas valves from high temperature, extending valve component life
- Heavy duty cast iron top grates support large stockpots
- Constructed standard for natural gas service;
 propane conversion kit supplied with the unit.
 Conversion is the customer's responsibility



Model VSP100

ACHIEVER VHP HOT PLATE

- Cast iron 30,000 BTU/hr 2-piece lift-off burners offer superior heat distribution for heavy sauté applications
- —1 protected standing pilot for every 2 burners reduces gas consumption and protects against spillover
- Heavy duty cast iron top grates, 1 per burner, support heavy pans and stockpots
- -4" heavy duty adjustable legs



Model VHP424





RANGE MATCH SALAMANDER BROILER

- Stainless steel front, sides and top with 1-gallon drip pan capacity
- Dual temperature controls
- -6 grid positions
- High grid temperatures for consistent productivity
- Available with infrared burner



GAS INFRARED CHEESEMELTER

- Energy-efficient gas infrared burners
- 3-position heavy duty rack guides and wire chrome grid rack
- −21" H x 19" D with all stainless steel interior
- Removable full-width stainless steel spillage pan for easy cleaning and maintenance
- Wall mount bracket (factory installed) included standard, installable on range shelf or legs



Model VICM36



OVENS





- Fully featured heavy duty oven at an affordable price
- ENERGY STAR® certified—save on energy costs and possibly qualify for rebates
- Cool-to-the-touch handles on independent doors for long-lasting reliability and easy operation
- Grab-and-go rack system for safe and easy pan removal
- 50,000 BTU/hr. burner system provides superior baking performance & product quality



Model VC44GD Shown with optional casters

VC5 GAS CONVECTION OVEN

- Removable, lift-off dishwasher-safe doors simplify the cleaning process and maximize labor productivity
- Enhanced displays of time and temperature,
 plus built-in diagnostics
- Best-in-class ENERGY STAR® cooking efficiency ratings
- Exclusive grab-and-go oven racks make it safer and easier for staff to remove pans





Shown with optional casters



CHARBROILERS



ACHIEVER VACB CHARBROILER

- Best temperature profile of any charbroiler in its class with consistent heat across cooking surface
- More usable heat (600-700°F) for maximum production capacity and productivity
- 17,000 BTU/hr. burner in each 6" broiler section
- Crumb tray removes for easy cleaning
- Supercharger plates are standard—improving energy utilization and performance



Model VACB47

COUNTER RESTAURANT SERIES CHARBROILER

- One 14,500 BTU/hr. cast iron burner and char-radiant for each broiler grate
- One infinite heat control valve for each burner with standing pilot ignition system
- —5¼" wide cast iron grates are reversible for level or inclined broiling positions
- Constructed standard for natural gas service;
 propane conversion kit supplied with the unit.
 Conversion is the customer's responsibility



COUNTER RESTAURANT SERIES HOT PLATE

- Fully ported two-piece 25,000 BTU/hr. burners
 with lift-off heads and cast iron top grates provide
 fire power for sauté work and turndown for reductions
- One infinite heat control valve for each burner with standing pilot ignition system and manual controls
- Flash tube technology saves fuel costs and creates a splash proof pilot
- Constructed standard for natural gas service;
 propane conversion kit supplied with the unit.
 Conversion is the customer's responsibility





COUNTER RESTAURANT SERIES MANUAL CONTROL GRIDDLE

- —1" thick griddle plate distributes burner heat evenly
- One 25,000 BTU/hr. "U" shaped aluminized steel burner for every 12" of griddle width
- One infinite heat control valve for each burner with standing pilot ignition system
- Constructed standard for natural gas service;
 propane conversion kit supplied with the unit unit. Conversion is the customer's responsibility.



COUNTER RESTAURANT SERIES SNAP ACTION THERMOSTATIC GRIDDLE

- Embedded snap-action thermostat provides more accurate plate temperature and faster recovery times on 1" thick griddle plate
- One 25,000 BTU/hr. "U" shaped aluminized steel burner for every 12" of griddle width
- One pilot safety valve for every two burners; valve will completely shut off gas to pilot and burners if pilot extinguishes
- Constructed standard for natural gas service; propane conversion kit supplied with the unit. Conversion is the customer's responsibility

Model VCRG36-T1

MSA GAS GRIDDLE

- -1" thick griddle plate distributes burner heat evenly
- Available with Vulcan's exclusive Rapid Recovery™ composite griddle for even heating, increased productivity and easy cleaning
- Cool bull nose design keeps the front rail cool-to-the-touch at all times
- Embedded snap-action thermostat provides more accurate plate temperatures and quicker recovery times
- Fully welded frames, supervised gas pilot protection,
 heavy gauge knob guards and high capacity grease drawers



Model MSA48



BOILERLESS/CONNECTLESS COUNTER STEAMER

- —This batch production workhorse is ENERGY STAR® certified, benefitting your operation with superior water and energy savings
- Boilerless—no deliming required
- Connectionless—no water or drain line required
- Heavy duty door latch and mechanism
- Exclusive gasket guard/pan pusher
- Professional controls with 60-minute timer, buzzer and constant steam feature



Shown with optional stand

EO BOILERLESS STEAMER WITH AUTO-FILL

- Same features as standard C24EO Steamer
- —Boilerless design for ease of use and low maintenance
- Water line connection for automatic water fill/refill
- Illuminated power switch with low water and cook lights
- Electronic level sensing with no moving parts
- Overfill sensor with water shut-off and buzzer



Model C24EO3AF



ELECTRIC COUNTER À LA CARTE STEAMER

- —SmartDrain PowerFlush™ system
- High output stainless steel steam generator
- External deliming port and staged water fill
- Heavy duty door and latch mechanism
- Exclusive gasket guard/pan pusher
- Professional controls with 60-minute timer, buzzer and constant steam feature



Model C24EA5 PLUS



- Same features as standard C24EA PLUS Steamer
- ENERGY STAR® certified, benefitting your operation with superior water and energy savings
- Uses 90% less water and 50% less energy with low water energy technology
- SmartDrain PowerFlush™ system
- Less filter maintenance and scale cleaning required
- Extended 2 year warranty, limited to water related parts



Model C24EA5-LWE Shown with optional stand





ELECTRIC COUNTER À LA CARTE STEAMER (PS)

- Same standard features of C24EA PLUS Steamer
- —Superheated; steams at 235° vs. regular steam at 212°
- Reduces cook times up to 20%
- For busy institutional and commercial kitchens that need to cook quality meals faster



Two C24EA5 PS Steamers Shown with STCKKIT 24EA and STAND 15YSGL

COUNTER STEAM JACKETED KETTLE

- -True working capacity gives more meals per kettle servings
- Embossed gallon-liter markings never wear off and improve accuracy
- Heavy bar rim adds durability and better protection
- -316 stainless steel liner
- Locking feature facilitates fast cleanup and turnaround
- Reduces your total kitchen energy load



Model K6ETT Shown with optional stand and faucet

SCALEBLOCKER® WATER FILTRATION SYSTEM

- Minimizes limescale build-up and corrosion
- Removes problems from water without adding harmful chemicals or additives
- Removes chlorine and chloramines and meets
 NSF Standard 42 and 53
- Install & maintain for an additional one-year limited extended warranty at no additional charge
- Preventative maintenance replacement cartridge kits SMF600 PMKIT and SMF620 PMKIT include cartridge and ScaleRelease™





LG GAS FRYER

- Durable stainless steel tank and front engineered to last
- Large cold zone designed to prolong the life of your oil
- Design reduces flue temperature and BTUs, lowering your operating costs
- 5-year limited tank warranty and entire fryer replacement if tank leaks during first year
- Available in 35-, 45-, and 65-lb. oil capacities



Model LG300 Shown with accessory casters



VEG GAS FRYER

- Stainless steel fry tank and door increase durability and ease of cleaning
- ENERGY STAR® certified so it uses less energy, saving you money
- Cooks 10 lbs./hr. more than a standard economy gas fryer*
 - *Third party-testing data by Fisher-Nickel
- 5-year limited tank warranty and entire fryer replacement if tank leaks during first year
- Available in 35-lb. oil capacity



Model 1VEG35M Shown with accessory casters





GR GAS FRYER

- Long-lasting, easy-to-clean stainless steel fry tank and cabinet
- Trouble-free adjustable casters—2 swivel non-locking and 2 swivel locking
- 10-year limited tank warranty
- Available in 35-, 45-, 65- and 85-lb. oil capacities



Model 1GR45M

POWERFRY3™ 1TR45A SOLID STATE ANALOG GAS FRYER

- Fast recovery increases production, allowing you to keep up with heavy load demands
- ENERGY STAR® certified so it uses less energy, saving you money
- Less than 750°F flue temperature at maximum production rate
- SOFTSTART™ Ignition System heats cold oil gently, prolonging oil life
- Available in 45-lb. oil capacity



Model 1TR45A



FRYMATE™ VX15 DUMP STATION

- Convenient fry dump station to keep product warm and improve kitchen work flow
- Durable, easy-to-clean stainless steel cabinet and removable curved pan
- Available for 35-, 45-, 50- and 65-lb. gas or electric fryers
- Optional ThermoGlo™ Food Warmer radiates uniform heat across surface



Model VX15 Shown with optional ThermoGlo™ Food Warmer

MF-1 MOBILE FILTER

- Designed for use with any Vulcan fryers or with any brand of freestanding fryers
- Extends oil life and saves you money
- Reusable stainless steel mesh filter screen assembly
- Large 6" wheels make portable filtering easy
- KleenScreenPLUS® accessory conversion kit available to filter out particulates down to 0.5 microns



Model MF-1

HEATED HOLDING



NON-INSULATED PROOFING & HEATING HOLDING CABINET

- Excellent durability from stainless steel construction
- Reaches holding temperature 16% faster and uses
 33% less electricity than an aluminum cabinet
- Full-length glass door with aluminum frame
- Easy-to-see top-mounted controls are less susceptible to damage
- Adjustable racking to hold 18" x 26" or 12" x 20" pans
- —10-year warranty on heating elements (parts only)



Model VP18

NON-INSULATED HOLDING CABINET

- Excellent durability from stainless steel construction
- Reaches holding temperature 16% faster and uses
 33% less electricity than an aluminum cabinet
- Full-length glass door with aluminum frame
- Easy-to-see top-mounted controls are less susceptible to damage
- 10-year warranty on heating elements (parts only)



Model VHFA18



HEATED HOLDING

FULLY INSULATED INSTITUTIONAL **HOLDING CABINET**

- Top mounted digital display
- Available with adjustable racking, lip load racking or shelves
- 20-gauge stainless steel interior, exterior and welded frame
- Forced air gives superior heat distribution & fast recovery
- 10-year warranty on heating elements (parts only)



VRH COOK & HOLD OVEN

- Gentle air movement produces natural browning and consistent oven temperatures
- —Slow roasting produces more finished product to sell
- Easy-to-use knob controls
- Stackable stainless steel construction
- −250°F thermostat allows roasting without a hood in most areas
- 10-year warranty on heating elements (parts only)



Model VRH8





HEATED HOLDING

DRAWER WARMER

- Rugged 16-gauge stainless steel drawer slides and rollers
- Heavy duty tubular stainless steel handle and legs
- Separate controls for each drawer
- Holds various size steam table pans without an adapter
- Trim kit for built-in application
- 10-year warranty on heating elements (parts only)



Model VW2S

CHIP WARMER

- Removable front for easy cleaning
- Door opens flat, reducing breakage while scooping out chips
- First-in, first out helps keeps chips fresh
- Available in 26 and 46 gallon capacities
- 10-year warranty on heating elements (parts only)



Model VCW46

RESTAURANT RANGES & BROILERS WOLF



CHALLENGER XL™ GAS RESTAURANT RANGE

- Durable, MIG welded construction
- Flashtube pilot system can save up to \$300 per year in gas consumption
- − Versatile 30,000 BTU/hr. burner delivers rapid boil times, even sauté and superior turndown
- Best repeatable oven bake in the industry with two oven racks standard



Model C36S-6BN Shown with optional casters

WSPR STOCK POT RANGE

- Two 55,000 BTU/hr. ring-type burners in each section—110,000 BTU/hr. input per section
- Standing pilot ignition with two infinite control manual gas valves for each section
- Heat shield protects gas valves from high temperature, extending valve component life
- —Heavy duty cast iron top grates support large stockpots
- Constructed standard for natural gas service; propane conversion kit supplied with the unit. Conversion is the customer's responsibility



Model WSPR1

RANGE MATCH SALAMANDER BROILER

- Stainless steel front, sides and top with 1-gallon drip pan capacity
- Dual temperature controls
- -6 grid positions
- High grid temperatures for consistent productivity
- Available with Infrared Burner



Model C36RR



GRIDDLES & CHARBROILERS

HEAVY DUTY MANUAL GRIDDLE

- −1"-thick steel griddle plate distributes burner heat evenly
- -27,000 BTU/hr. burner in each 12" section
- Fully welded frames to provide a lifetime of durability
- − Wide-range (220° rotation) gas valves for making fine adjustments to heat input for more consistent cooking results



Model AGM48

ACHIEVER ACB CHARBROILER

- Best temperature profile of any charbroiler in its class
- More usable heat (600-700°F) for maximum production capacity and productivity
- 17,000 BTU/hr. burner in each 6" broiler section
- Supercharger plates are standard—improving energy utilization and performance
- Crumb tray removes for easy cleaning



Model ACB47

SLICERS



ECONOMY SLICER

- Easy to operate for great results
- —Slice from wafer thin up to 1/16"
- Disassemble without tools for easy cleaning
- -10" carbon steel knife
- Top-mounted two stone sharpening system produces consistently sharp knife edge



Model 825A-PLUS

MID-TIER SLICER

- —Powerful ⅓ and ½ HP motors
- Easy to operate for great results
- Slice from wafer thin up to %16"
- Disassemble without tools for easy cleaning
- -12" carbon steel knife
- Top-mounted two stone sharpening system produces consistently sharp knife edge



Model 827A-PLUS

Additional Models Available



PREMIER SLICER

- —World's easiest slicer to clean and sharpen
- -13" stainless knife that slices up to 1 5/16" thick
- − Powerful ½ HP motor and 45° quick-feed product table
- —Automatic operation in 3 speeds: 20, 40 or 60 slices/minute
- —Three stroke lengths: ¹/₃, ²/₃ and full stroke
- Large product tray for extra capacity
- Borazon sharpening stones for fast, accurate sharpening



Model X13-PLUS

- Powerful ¹/₃ HP motors
- Available in $\frac{3}{8}$ " (10mm), $\frac{7}{16}$ " (11mm), $\frac{1}{2}$ " (13mm) or 3/4" (19mm) pre-set slice thickness
- Premium white powder coat finish
- Convenient front-mounted, stainless steel bagging trough
- Removable scrap pan



SLICERS



FLYWHEEL PROSCIUTTO SLICER

- —Traditional, Hand Operated Design
- -Nominal 12" or 13" hollow-ground knife
- —Slice thickness adjustable from tissue thin up to 3/16"
- Knife Ring Guard
- —Automatic feeding smoothly delivers product into the knife
- Integrated two-stone, dual-action sharpener




Model 330M





Model 330M - Carriage Tray detail



Model 330M - Sharpener detail



Berkel FOOD PROCESSOR | VACUUM PACKAGING

M SERIES FOOD PROCESSOR

- High performance motor for productivity and slice quality
- Durable stainless base
- —Slices, dices, shreds, grates, crimps and juliennes
- Process 600-800 lbs. per hour
- -1 Speed, 1/2 HP motor



Model M2000 Additional Models Available

VACUUM PACKAGING MACHINE

- Vacuum packaging models with durable stainless steel housings and vacuum chambers
- Fast and durable Busch vacuum pumps
- Gas-flush capable (not available on 250 Model)
- Variable sensor controlled vacuum settings
- -Clear, see-through lid
- Stainless steel cart accessory



Model 350

VULCAN'S TERMS AND CONDITIONS OF SALE

Sales of all items listed herein and all other products and services sold by Vulcan, a division of ITW Food Equipment Group LLC (including its brands Wolf and Berkel) ("Vulcan"), are expressly limited to and made conditional on acceptance of its current terms and conditions of sale, found at https://www.vulcanequipment.com/terms-sale ("Terms"). Any additional or different terms are hereby rejected. Commencement of work by Vulcan or acceptance of delivery of products by purchaser constitutes purchaser's acceptance of the Terms.



wolfequipment.com p: 800.814.2028 f: 800.444.0602



vulcanequipment.com p: 800.814.2028 f: 800.444.0602



berkelequipment.com p: 800.348.0251 f: 800.444.0602

2006 Northwestern Parkway, Louisville, KY 40203



www.wolfequipment.com p: 800.814.2028 f: 800.444.0602



www.vulcanequipment.com p: 800.814.2028 f: 800.444.0602



www.berkelequipment.com p: 800.348.0251 f: 800.444.0602